

AFMG Reflex Report



Creation date: 26/08/2012
AFMG Reflex Version: 1.0.6


1. Models

1.1 New Model10

1.1.1 Description

Array of five N=7 Stepped Diffusers, optimized by Trevor J. Cox
 [Trevor J. Cox, "The Optimization of Profiled Diffusers", 1994]

1.1.2 Model Outline




Model Outline


Element no.	Type	Width[cm]	Depth Base[cm]	Depth Top[cm]
1	Rectangle	6.1	0.0	0.0
2	Rectangle	6.1	14.8	0.0
3	Rectangle	6.1	11.3	0.0
4	Rectangle	6.1	12.0	0.0
5	Rectangle	6.1	11.3	0.0
6	Rectangle	6.1	14.8	0.0
7	Rectangle	6.1	0.0	0.0
8	Rectangle	6.1	0.0	0.0
9	Rectangle	6.1	14.8	0.0
10	Rectangle	6.1	11.3	0.0
11	Rectangle	6.1	12.0	0.0
12	Rectangle	6.1	11.3	0.0
13	Rectangle	6.1	14.8	0.0
14	Rectangle	6.1	0.0	0.0
15	Rectangle	6.1	0.0	0.0
16	Rectangle	6.1	14.8	0.0
17	Rectangle	6.1	11.3	0.0
18	Rectangle	6.1	12.0	0.0
19	Rectangle	6.1	11.3	0.0
20	Rectangle	6.1	14.8	0.0
21	Rectangle	6.1	0.0	0.0
22	Rectangle	6.1	0.0	0.0
23	Rectangle	6.1	14.8	0.0
24	Rectangle	6.1	11.3	0.0
25	Rectangle	6.1	12.0	0.0
26	Rectangle	6.1	11.3	0.0

27	Rectangle	6.1	14.8	0.0
28	Rectangle	6.1	0.0	0.0
29	Rectangle	6.1	0.0	0.0
30	Rectangle	6.1	14.8	0.0
31	Rectangle	6.1	11.3	0.0
32	Rectangle	6.1	12.0	0.0
33	Rectangle	6.1	11.3	0.0
34	Rectangle	6.1	14.8	0.0
35	Rectangle	6.1	0.0	0.0

1.1.3 Spatial Response Plots




Spatial Response



Spatial Response

1.1.4 Coefficients Plots


Angle: Random Incidence, Frequency Range: [100 Hz, 4000 Hz]



Coefficients

Frequency [Hz]	Scattering Coefficient	Normalized Diffusion Coefficient	Diffusion Coefficient
100	0.009	0.038	0.488
125	0.021	0.042	0.439
160	0.027	0.048	0.401
200	0.047	0.061	0.369
250	0.076	0.075	0.341
315	0.246	0.164	0.372
400	0.703	0.353	0.491
500	0.662	0.247	0.383
630	0.876	0.090	0.229
800	0.786	0.094	0.209
1000	0.596	0.124	0.216
1250	0.488	0.144	0.217
1600	0.826	0.129	0.190
2000	0.891	0.136	0.184
2500	0.966	0.149	0.187
3150	0.704	0.127	0.157
4000	0.858	0.132	0.156

Angle: -45°, Frequency Range: [100 Hz, 4000 Hz]



Coefficients

Frequency [Hz]	Scattering Coefficient	Normalized Diffusion Coefficient	Diffusion Coefficient
100	0.005	0.034	0.483
125	0.015	0.035	0.430
160	0.022	0.040	0.397
200	0.021	0.036	0.356
250	0.053	0.051	0.331
315	0.200	0.144	0.364
400	0.793	0.467	0.584
500	0.759	0.237	0.376
630	0.987	0.000	0.139
800	0.770	0.037	0.151
1000	0.486	0.138	0.219
1250	0.300	0.062	0.132
1600	0.904	0.136	0.187
2000	0.961	0.143	0.183
2500	0.980	0.126	0.157
3150	0.467	0.065	0.091
4000	0.929	0.108	0.126